

392600
LIBER 34014 PAGE 467
\$97.00 MISC RECORDING
\$4.00 REMONUMENTATION
09/13/2004 11:15:07 A.M. RECEIPT# 110806
PAID RECORDED - OAKLAND COUNTY
G.WILLIAM CADDELL, CLERK/REGISTER OF DEEDS

FIRST AMENDMENT TO OPEN SPACE MAINTENANCE AGREEMENT

THIS FIRST AMENDMENT TO OPEN SPACE MAINTENANCE AGREEMENT (this "Amendment") is made as of the 10 day of September, 2004 by and between CHARTER TOWNSHIP OF OXFORD, a Michigan municipal corporation (the "Township"), located at 18 West Burdick Street, P.O. Box 3, Oxford, Michigan 48371 and SELECTIVE - DELAWARE, L.L.C., a Delaware limited liability company ("Developer"), the address of which is 100 Galleria Officecentre, Suite 200, Southfield, Michigan 48034.

RECITALS:

A. Pursuant to Article 4 of the Township Zoning Ordinance No. 67, as amended (the "Ordinance"), the Township and Developer executed that certain Open Space Maintenance Agreement dated September 10, 2004 and recorded in Libers 34014 Page 438 (the "Agreement"), which Agreement pertains to Golf Highlands Subdivision No. 1, as recorded in Liber 286, Pages 17 through 23.

*04-21-107-000 ent - #1 see attached
04-16-351-000 ent - #2 for acreage
04-16-452-000 ent - #3*

*30P
R
30P/10/27*

B. Golf Highlands No. 1 is subject to that certain Declaration of Covenants, Conditions and Restrictions for Golf Highlands No. 1 dated February 19, 2003 and recorded in Liber 2893, Pages 268 through 295, Oakland County Records, (the "Declaration") and amendments thereto, pursuant to which all Open Spaces are to be maintained and/or preserved pursuant to the terms and conditions of the Declaration, and in conjunction with the rights and responsibilities set forth in the Agreement, as the same may be amended from time to time.

C. Under the Declaration, Developer has the right to subject any and all property on the Preliminary Plat, which was approved by the Board of Trustees of the Township on March 13, 2002, to the Declaration.

D. The parties agree that all property subject to the Declaration shall also be subject to the Agreement and desire to amend the Agreement accordingly. See Exhibit A attached.

NOW THEREFORE, IT IS AGREED AS FOLLOWS:

1. Capitalized terms not otherwise defined herein shall have the meaning ascribed to them in the Agreement.

O.K. - LG

Proposed ~~18~~

Golf Highlands No. 4, located in the SE 1/4 and the SW 1/4 of Section 16, T5N, R10E, Oxford Township, Oakland County, Michigan, described as:

Commencing at the SW corner of Section 16, T5N, R10E, Oxford Township, Oakland County, Michigan, thence N 84°30'32" E 43.15 feet (recorded as N 84°29'40" E) along the South line of said Section 16, thence N 00°35'07" W 40.16 feet along the East line of Dunlap Road (86 feet wide) as recorded in Liber 4247, Page 150, Oakland County Records, thence N 00°35'07" W 380.69 feet along the West line of Golf Highlands No. 1 as recorded in Liber 286 of Plats, Pages 17-23, Oakland County Records, and the East line of said Dunlap Road, thence along the West line of Golf Highlands No. 2 as recorded in Liber 289 of Plats, Pages 15-20, Oakland County Records, and the East line of said Dunlap Road in the following two (2) courses: N 00°35'07" W 25.92 feet, Northeasterly 784.39 feet along the arc of a circular curve to the right, radius 1102.90 feet, central angle 40°44'58", long chord N 19°47'22" E 767.97 feet to the POINT OF BEGINNING.

thence continuing along the East and South line of said Dunlap Road in the following five (5) courses:

Northeasterly 33.68 feet along the arc of a circular curve to the right, radius 1102.90 feet, central angle 01°44'58", long chord N 41°02'20" E 33.68 feet;

N 41°54'50" E 1081.60 feet;

Northeasterly 818.10 feet along the arc of a circular curve to the right, radius 1102.90 feet, central angle 42°30'01", long chord N 63°09'51" E 799.47 feet;

N 84°24'53" E 1153.69 feet;

N 84°17'21" E 1675.53 feet;

thence S 05°42'34" E 92.16 feet;

thence S 17°05'32" W 228.18 feet;

thence S 29°04'56" E 190.03 feet;

thence S 76°19'14" E 200.02 feet;

thence N 40°45'27" E 160.55 feet;

thence S 46°22'29" E 45.00 feet;

thence S 43°37'31" W 682.09 feet;

thence S 46°22'29" E 35.00 feet;

thence S 43°37'31" W 359.60 feet along the North line of Brabb-Dewey Plat, as recorded in Liber 16 of Plats, Page 23, Oakland County Records, and its extension thereof;

thence S 24°56'58" W 44.90 feet;

thence S 01°00'51" E 128.12 feet;

thence along the Northerly line of Golf Highlands No. 3, as recorded in Liber **290** of Plats, Pages **1-8**, Oakland County Records, in the following three (3) courses:

N 60°28'14" W 233.96 feet;

N 68°56'24" W 60.72 feet;

N 60°25'17" W 114.66 feet to a point on the intermediate traverse line of Glass Lake, said point being S 60°25'17" E 37 feet from the water's edge of said Glass Lake;

thence along the intermediate traverse line of Glass Lake, in the following fifteen (15) courses:

N 45°39'30" E 135.45 feet;

N 13°07'41" W 350.25 feet;

N 27°34'24" W 217.76 feet;

N 86°23'34" W 171.38 feet;

S 51°29'14" W 303.75 feet;

N 86°25'58" W 441.22 feet;

S 68°45'43" W 171.62 feet;

S 46°28'05" W 249.44 feet;

S 09°15'11" W 249.40 feet;

S 28°31'57" E 163.31 feet;

S 57°26'23" E 200.22 feet;

S 84°05'48" E 114.70 feet;

S 46°52'03" E 403.84 feet;

S 35°01'07" E 88.95 feet;

N 80°45'24" E 181.95 feet to a point on the intermediate traverse line of Glass Lake, said point being S 04°41'41" E 30 feet from the water's edge of said Glass Lake;

thence along the West line of said Golf Highlands No. 3 in the following three (3) courses:

S 04°41'41" E 160.37 feet;

S 14°57'09" E 60.85 feet;

S 05°59'18" E 136.09 feet to a point on the intermediate traverse line of a pond (no name), said point being N 05°59'18" W 39 feet from the water's edge of said pond;

thence S 77°00'25" W 223.34 feet along the intermediate traverse line of said pond to a point, said point being N 54°46'27" W 57 feet from the water's edge of said pond;

thence N 54°46'27" W 1014.32 feet;

thence N 52°01'12" W 112.21 feet;

thence N 49°12'36" W 130.31 feet;

thence Southwesterly 39.67 feet along the arc of a circular curve to the left, radius 270.00 feet, central angle 08°25'05", long chord S 36°34'51" W 39.63 feet;

thence S 32°22'18" W 481.11 feet;

thence S 53°44'49" E 20.05 feet;

thence N 32°22'18" E 167.38 feet;

thence S 53°44'49" E 103.83 feet;

thence S 57°12'03" E 75.59 feet;

thence S 63°15'05" E 55.90 feet;
 thence S 44°21'26" E 153.69 feet;
 thence S 26°44'55" W 117.23 feet;
 thence S 63°15'05" E 22.94 feet;
 thence Northeasterly 54.95 feet along the arc of a circular curve to the left, radius 50.00 feet, central angle 62°57'52", long chord N 85°15'59" E 52.22 feet;
 thence Southeasterly 142.41 feet along the arc of a circular curve to the right, radius 60.00 feet, central angle 135°59'22", long chord S 58°13'15" E 111.26 feet;
 thence S 80°13'34" E 56.89 feet;
 thence S 49°16'00" E 115.22 feet;
 thence S 34°47'35" W 73.99 feet;
 thence S 54°09'15" W 73.99 feet;
 thence S 77°03'48" W 100.69 feet;
 thence N 79°42'19" W 106.06 feet;
 thence N 63°15'05" W 382.56 feet;
 thence N 53°44'49" W 193.85 feet;
 thence N 16°24'40" W 64.82 feet;
 thence Southwesterly 143.35 feet along the arc of a circular curve to the right, radius 260.00 feet, central angle 31°35'25", long chord S 89°23'02" W 141.54 feet;
 thence N 74°49'15" W 73.78 feet;
 thence S 15°10'45" W 167.00 feet;
 thence N 74°49'15" W 210.13 feet;
 thence along the Easterly and Southerly line of said Golf Highlands No. 2, in the following three (3) courses:

N 15°10'45" E 167.00 feet;
 S 74°49'15" E 106.69 feet
 N 15°10'45" E 60.00 feet:

thence S 74°49'15" E 133.27 feet;
 thence N 15°10'45" E 167.00 feet;
 thence S 74°49'15" E 57.77 feet;
 thence N 47°41'35" E 17.27 feet;
 thence S 57°37'42" E 172.19 feet;
 thence Northeasterly 10.79 feet along the arc of a circular curve to the left, radius 200.00 feet, central angle 03°05'32", long chord N 33°55'04" E 10.79 feet;
 thence N 32°22'18" E 9.21 feet;
 thence N 57°37'42" W 167.00 feet;
 thence N 32°22'18" E 450.00 feet;
 thence N 35°20'01" E 109.12 feet;
 thence N 56°56'09" E 120.06 feet;
 thence N 04°56'34" E 229.21 feet;
 thence N 15°29'11" E 160.13 feet;
 thence N 45°42'52" W 132.38 feet;
 thence N 11°48'35" W 132.38 feet;
 thence N 22°05'42" E 132.38 feet;

thence N 55°59'59" E 132.38 feet;
thence N 17°02'53" W 100.41 feet;
thence S 84°24'53" W 488.29 feet;
thence Southwesterly 749.86 feet along the arc of a circular curve to the left, radius
1010.90 feet, central angle 42°30'01", long chord S 63°09'51" W 732.79 feet;
thence S 41°54'50" W 1081.40 feet;
thence N 68°18'11" W 97.51 feet along the Northerly line of said Golf Highlands No. 2 to
the POINT OF BEGINNING. Together with all that land lying between the
intermediate traverse line of Glass Lake and the water's edge of Glass Lake and
between the intermediate traverse line of a pond (no name) and the water's edge
of the pond (no name). Being a part of the SE 1/4 and the SW 1/4 of said
Section 16, T5N, R10E, Oxford Township, Oakland County, Michigan.
Containing 99 lots numbered 102 through 200, inclusive, six (6) private parks and
75.03 acres of land.



pf 04-16-300-010

GOLF HIGHLANDS NO. 3

LOCATED IN THE SOUTHEAST 1/4 OF SECTION 16,
AND THE NORTHEAST 1/4 OF SECTION 21, T5N, R10E,
OXFORD TOWNSHIP, OAKLAND COUNTY, MICHIGAN.



THIS PLAT IS SUBJECT TO
THE RESTRICTIONS AS REQUIRED
BY ACT 288, OF 1967, AS AMENDED,
ON CERTAIN LOTS WITH RESPECT TO
THE REQUIREMENT OF THE MICHIGAN
DEPARTMENT OF ENVIRONMENTAL
QUALITY WHICH ARE RECORDED IN
LIBER 223A, PAGES 19, THROUGH 23,
OF RECORDS OF THIS COUNTY.




VICINITY MAP
SCALE: 1" = 3000'

LEGEND

1. ALL DIMENSIONS ARE IN FEET.
2. ALL CURVE DIMENSIONS ARE ARC LENGTHS.
3. ALL LOT MARKERS ARE 1/8" REBARS AND ARE UNLESS OTHERWISE NOTED TO BE CONCRETE MONUMENTS. ALL MONUMENTS USED ARE MADE OF SOLID STEEL BARS 1/2" IN DIAMETER AND 36" LONG AND COMPLETELY ENCASED IN CONCRETE 6" IN DIAMETER. NO I.D. CAPS ARE USED.
4. BEARINGS ESTABLISHED FROM RECORDED PLAT MARKS EDGE AT WATERSTONE LIBER 272 OF PLATS, PAGES 10-17.
5. (NR) DENOTES NON-RADIAL LOT LINE.
6. (R) DENOTES RADIAL LOT LINE.
7. (C) DENOTES CURVE LABEL.

CURVE	RADIUS	LENGTH	BEARING	CHORD	DELTA
7	1250.00	885.14	S17°51'47"W	873.43	31°48'37"



PREPARED AND DRAFTED BY MIDWESTERN CONSULTING, LLC.
3815 PLAZA DRIVE, ANN ARBOR, MICHIGAN 48108

67343


LIBER 34014 pg 4 72

GOLF HIGHLANDS NO. 3


LOCATED IN THE SOUTHEAST 1/4 OF SECTION 16,
AND THE NORTHEAST 1/4 OF SECTION 21, T5N, R10E,
OXFORD TOWNSHIP, OAKLAND COUNTY, MICHIGAN.



THIS PLAT IS SUBJECT TO THE RESTRICTIONS AS REQUIRED BY ACT 286, OF 1967, AS AMENDED, ON CERTAIN LOTS WITH RESPECT TO THE REQUIREMENT OF ENVIRONMENTAL QUALITY WHICH ARE RECORDED IN LIBER 313A, PAGES 28 THROUGH 23, OF RECORDS OF THIS COUNTY.



VICINITY MAP
SCALE: 1" = 3000'



LEGEND

1. ALL DIMENSIONS ARE IN FEET.
2. ALL CURVE DIMENSIONS ARE ARC LENGTHS.
3. ALL LOT MARKERS ARE 5/8" REBRODS AND ARE 18" LONG. THE SYMBOL (G) INDICATES A CONCRETE MONUMENT. ALL MONUMENTS USED ARE 1/2" DIA. 3" LONG AND COMPLETELY ENCASED IN CONCRETE 4" IN DIAMETER. NO I.D. CAPS ARE USED.
4. BEARINGS ESTABLISHED FROM RECORDED PLAT LIBER 272 OF PLATS, PAGES 10-17.
5. (NR) DENOTES NON-RADIAL LOT LINE.
6. (R) DENOTES RADIAL LOT LINE.
7. (C) DENOTES CURVE LABEL.

CURVE	RADIUS	LENGTH	BEARING	CHORD	DELTA
1	1170.00	340.76	N17°18'27.72"	330.00	18°38'51"
2	830.00	370.88	N19°48'37.2"	367.82	23°38'17"
3	770.00	353.00	N17°08'42.1"	349.99	23°38'21"

67343

PREPARED AND DRAFTED BY MIDWESTERN CONSULTING, LLC.
3815 PLAZA DRIVE, ANN ARBOR, MICHIGAN 48108




LIBER 314 O 14 pg 4 75

THIS PLAT IS SUBJECT TO THE RESTRICTIONS AS REQUIRED BY ACT 288, OF 1967, AS AMENDED, ON CERTAIN LOTS WITH RESPECT TO THE REQUIREMENT OF THE MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY WHICH ARE RECORDED IN LIBER 33814 PAGES 22A THROUGH 23, OF RECORDS OF THIS COUNTY.

GOLF HIGHLANDS NO. 3

LOCATED IN THE SOUTHEAST 1/4 OF SECTION 16, AND THE NORTHEAST 1/4 OF SECTION 21, T5N, R10E, OXFORD TOWNSHIP, OAKLAND COUNTY, MICHIGAN.


LIBER _____ PAGE _____




- LEGEND**
1. ALL DIMENSIONS ARE IN FEET.
 2. ALL CURVE DIMENSIONS ARE ARC LENGTHS.
 3. ALL LOT MARKERS ARE 5/8" RERODS AND ARE 18" LONG. THE MARKERS FOR THE MONUMENT ALL MONUMENTS USED ARE MADE OF SOLID STEEL BARS 1/2" IN DIAMETER AND 36" LONG AND COMPLETELY ENCASED IN CONCRETE 4" IN DIAMETER. NO I.D. CAPS ARE USED.
 4. BEARINGS ESTABLISHED FROM RECORDED PLAT LAKES EDGE AT WATERSTONE LIBER 272 OF PLATS, PAGES 10-17.
 5. (MR) DENOTES NON-RADIAL LOT LINE.
 6. (P) DENOTES RADIAL LOT LINE.
 7. CD DENOTES CURVE LABEL.




CEDAR STREET PARK DETAIL



CURVE	RADIUS	LENGTH	BEARING	CHORD	DELTA
1	1170.00	248.37	N20°18'52"E	248.10	12°10'22"
8	770.00	353.08	N17°08'42"E	348.99	28°18'21"



EAST PARK DETAIL



100 YEAR FLOOD PLAIN CONTINUE AS ESTABLISHED BY MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY. ELEV. 100.5' (N.A.S. DATA)

PREPARED AND DRAFTED BY MIDWESTERN CONSULTING, LLC.
3815 PLAZA DRIVE, ANN ARBOR, MICHIGAN 48108

67343

DETAIL 1"=50'

SEE DETAIL AT LEFT

SHEET 5 OF 8

LIBER 34014 PG 476

GOLF HIGHLANDS NO. 3

LOCATED IN THE SOUTHEAST 1/4 OF SECTION 16,
AND THE NORTHEAST 1/4 OF SECTION 21, T5N, R10E,
OXFORD TOWNSHIP, OAKLAND COUNTY, MICHIGAN.

SURVEYOR'S CERTIFICATE

I, Danny M. Beaudreant, surveyor, certify that I have surveyed, divided, and mapped the land shown on this plat, described as follows:

GOLF HIGHLANDS NO. 3, located in the SE 1/4 of Section 16, and the NE 1/4 of Section 21, T5N, R10E, Oxford Township, Oakland County, Michigan, described as:

Commencing at the S. 1/4 corner of Section 16, T5N, R10E, Oxford Township, Oakland County, Michigan, there N 84°23'00" E 533.31 feet along the South line of said Section 16 to the POINT OF BEGINNING.

thence N 35°45'03" E 58.36 feet to a point on the intermediate traverse line of a pond (no name), said point being S 35°45'03" W 4 feet from the water's edge of said pond;

thence along the intermediate traverse line of said pond the following three (3) courses:
S 89°14'03" E 106.00 feet;
N 30°28'00" E 184.92 feet;
N 89°59'19" W 120.51 feet to a point, said point being N 00°59'18" W 39 feet from the water's edge of said pond;

thence N 05°59'18" W 136.08 feet;
thence N 04°17'03" W 80.74 feet to a point on the intermediate traverse line of Glass Lake, said point being S 04°14'14" E 30 feet from the water's edge of said Glass Lake;

thence along said intermediate traverse line of Glass Lake the following five (5) courses:
N 83°03'13" E 245.87 feet;
N 83°03'13" E 80.14 feet;
N 01°47'12" E 80.14 feet;
N 18°37'13" E 332.85 feet;
N 36°59'59" E 111.70 feet to a point, said point being S 60°25'17" E 37 feet from the water's edge of said Glass Lake;

thence S 80°25'17" E 114.86 feet;
thence S 60°25'17" E 80.78 feet;
thence S 60°25'17" E 233.98 feet;
thence S 01°00'51" E 80.15 feet;
thence S 00°37'40" E 23.37 feet;
thence N 80°27'20" E 25.00 feet;
thence S 00°37'40" E 232.22 feet to a point on the intermediate traverse line of Stony Lake, said point being N 00°37'40" W 20 feet from the water's edge of said Stony Lake;

thence along said intermediate traverse line of Stony Lake the following four (4) courses:
S 80°20'15" W 328.83 feet;
S 54°30'28" W 154.27 feet;
S 40°41'25" W 200.75 feet;
S 21°12'58" W 208.81 feet to a point, said point being N 54°14'57" W 36 feet from the water's edge of said Stony Lake;

thence N 54°14'57" W 208.88 feet;
thence S 35°45'03" W 207.25 feet;
thence N 54°14'57" W 50.00 feet along the north-south line of Lot 74, Village of Separatus, Oakland County, Michigan, Plat No. 1992, Liber 24024, Page 398, Oakland County Records;

thence N 35°45'03" E 257.40 feet;
thence N 54°14'57" W 157.00 feet;
thence N 35°45'03" E 121.64 feet to the POINT OF BEGINNING.
Together with all that land lying between the intermediate traverse line of the pond (no name) and the water's edge of the pond (no name) and together with all that land lying between the intermediate traverse line of Glass Lake and the water's edge of Glass Lake, and all that land lying between the intermediate traverse line of Stony Lake and the water's edge of Stony Lake, containing 28 lots, numbered 74 through 101, inclusive, two private ponds and 19.61 acres of land.

ACKNOWLEDGEMENT

STATE OF FLORIDA }
COUNTY OF PALM BEACH } ss

Personally came before me this 21 day of July, 2003, J. Scott Benton, Authorized Agent for River Materials Corporation, Member of the above-named Limited Liability Company to me known to be the person who executed the foregoing instrument and to me known to be such Authorized Agent of said corporation and acknowledges that he executed the foregoing instrument, and that he is the sole member of said corporation by its authority, as Member.

J. Scott Benton
J. Scott Benton, Authorized Agent
River Materials Corporation, Member of the above-named Limited Liability Company
3815 Plaza Drive
Ann Arbor, MI 48108
My Commission expires July 31, 2004



PROPRIETOR'S CERTIFICATE

DR, LLC, a Michigan limited liability company, duly organized and existing under the laws of the State of Michigan, by J. Scott Benton, an Authorized Agent for River Materials Corporation, a Georgia Corporation, its sole Member, has caused the land embraced in this plat to be surveyed, divided, mapped and dedicated as represented on this plat, and that the proceeds are for the use of the State of Michigan, and that the proceeds are for the use of the State of Michigan, and that Cedar Street Park and East Park are private and are for the use of the lot owners.

DR, LLC, limited liability company
40800 North Woodland Avenue, Suite 130
Bloomfield Hills, Michigan 48304
File No. B14428
Filing Date: August 25, 1997
Preliminary Plat

By: River Materials Corporation,
its sole Member, a Georgia Corporation

Karen Big
Karen Big
J. Scott Benton
J. Scott Benton, Authorized Agent

WITNESSES:

That Lots 93 through 101, inclusive, extend to the water's edge of Glass Lake and that Lots 78 through 85, inclusive, extend to the water's edge of Stony Lake, and that Lot 74 and Cedar Street Park extend to the water's edge of the Pond (no name), and are subject to the correlative rights of the riparian owners and the public in and to these waters.

PREPARED AND DRAFTED BY MIDWESTERN CONSULTING, LLC,
3815 PLAZA DRIVE, ANN ARBOR, MICHIGAN 48108

67343

GOLF HIGHLANDS NO. 3

LOCATED IN THE SOUTHEAST 1/4 OF SECTION 16,
AND THE NORTHEAST 1/4 OF SECTION 21, T5N, R10E,
OXFORD TOWNSHIP, OAKLAND COUNTY, MICHIGAN.

PROPRIETOR'S CERTIFICATE

DAKCREST BUILDING COMPANY, INC., a Michigan corporation duly organized and existing under the laws of the State of Michigan by Joseph L. Cordeiro, Vice President, as Proprietor, has caused the land embraced in this plat to be surveyed, divided, mapped and dedicated as recited on this plat and that the public utility easements are private easements and that all other easements are private easements shown on the plat, that Cedar Street Park and East Park are private and are for the use of the lot owners. That Lots 93 through 101, inclusive, extend to the water's edge of Glass Lake and that Lots 78 through 83, inclusive, and East Park extend to the water's edge of the Pond (no name) subject to the correlative rights of the riparian owners and the public trust in these waters.

WITNESSES:
Dakcrest Building Company, Inc.
14330 Industrial Center Drive
Shelby Twp., Michigan 48315

Joseph L. Cordeiro
Joseph L. Cordeiro
Vice President

ACKNOWLEDGEMENT

State of Michigan)
County of Macomb) ss

Personally came before me this 17th day of February, 2004, Joseph L. Cordeiro, Vice President of the above-named corporation, to me known to be the person who executed the foregoing instrument and acknowledged that he executed the foregoing instrument as such Officer on the free act and deed of said corporation by its authority.

Bethann M. O'Amis
Bethann M. O'Amis
Notary Public
My Commission expires 3-28-2006

PROPRIETOR'S CERTIFICATE

CITIZENS STATE BANKCORP, INC., a Michigan corporation duly organized and existing under the laws of the State of Michigan, by Peter Battaloni, Assistant Vice President, as Proprietor, has caused the land embraced in this plat to be surveyed, divided, mapped and dedicated as recited on this plat and that the public utility easements are private easements shown on the plat, that Cedar Street Park and East Park are private and are for the use of the lot owners. That Lots 93 through 101, inclusive, extend to the water's edge of Glass Lake and that Lots 78 through 83, inclusive, and East Park extend to the water's edge of the Pond (no name) subject to the correlative rights of the riparian owners and the public trust in these waters.

WITNESSES:
Citizens State Bankcorp, Inc.
51089 Washington Street
New Baltimore, Michigan 48047

Peter Battaloni
Peter Battaloni
Assistant Vice President

ACKNOWLEDGEMENT

State of Michigan)
County of Macomb) ss

Personally came before me this 18th day of February, 2004, Peter Battaloni, Assistant Vice President of the above-named corporation, to me known to be the person who executed the foregoing instrument and acknowledged that he executed the foregoing instrument as such officer on the free act and deed of said corporation by its authority.


Misty A. McCremin
Misty A. McCremin
Notary Public
My Commission expires 11-10-2004
ACTING IN MACOMB COUNTY




LUBER 3401496478

GOLF HIGHLANDS NO. 2

LOCATED IN THE SOUTHWEST 1/4 OF SECTION 16, T5N, R10E, OXFORD TOWNSHIP, OAKLAND COUNTY, MICHIGAN.



VICINITY MAP
SCALE: 1" = 3000'



DETAIL B
SCALE: 1" = 50'

LEGEND

- 1 ALL DIMENSIONS ARE IN FEET
- 2 ALL CURVE DIMENSIONS ARE ARC LENGTHS
3. ALL LOT MARKERS ARE 5/8" REFLEX AND ARC 18" LONG THE SYMBOL (G) INDICATES A CONCRETE MONUMENT ALL MONUMENTS USED ARE MADE OF SOLID STILL BARS 1/2" IN DIAMETER AND 36" LONG AND COMPLETELY ENCASED IN CONCRETE 4" IN DIAMETER 401D CAPS ARE USED
- 4 BEARINGS ESTABLISHED FROM RECORDED PLAT MAPS EXCEPT WHERE SHOWN OTHERWISE LABEL 272 OF PLATS, PAGES 10-17.
5. (NR) DENOTES NON-RADIAL LOT LINE
- 6 (R) DENOTES RADIAL LOT LINE
7. (C) DENOTES CURVE LABEL.
8. (D) DENOTES FOUND CONCRETE MONUMENT.

CURVE	RADIUS	LENGTH	BEARING	CHORD	DELTA
9	430.00	83.84	M40°47'04"E	83.71	113°02'17"
11	200.00	244.26	N70°11'20"E	228.37	69°58'49"
12	260.00	317.56	N70°11'20"E	298.13	69°58'49"
13	200.00	327.84	M271°33'00"W	230.92	3°11'00"

67245

PREPARED AND DRAFTED BY MIDWESTERN CONSULTING, LLC.
3815 PLAZA DRIVE, ANN ARBOR, MICHIGAN 48108

LIBER 3401496479

GOLF HIGHLANDS NO. 2

LOCATED IN THE SOUTHWEST 1/4
OF SECTION 16, T5N, R10E, OXFORD
TOWNSHIP, OAKLAND COUNTY, MICHIGAN.



ACKNOWLEDGMENT

STATE OF FLORIDA
COUNTY OF PALM BEACH

Personality came before me this _____ day of _____, 2000. J. Scott Banyon, Authorized Agent for Rinker Materials Corporation, Member of the above-named Limited Liability Company to me known to be the person who executed the foregoing instrument and to me known to be such Authorized Agent of said instrument, as each office as the free act and deed of said corporation by its authority, as Member.

Witness my hand and seal of said County, this _____ day of _____, 2000.
J. Scott Banyon, Notary Public
for Oakland County, Michigan
My Commission expires: _____

That I have made such survey land division and plot by the direction of the owners of such land:

That such plot is a correct representation of all the exterior boundaries of the land surveyed and the subdivision of it.

That required monuments and lot markers have been located in the ground or surety has been deposited with the municipality as required by Section 125 of the Act.

That the accuracy of the survey is within the limits required by Section 126 of the Act; and

That the bearings shown on the plot are expressed as required by Section 126(3) of the Act and as explained in the legend.

MIDWESTERN CONSULTING CO., LLC

3815 Plaza Drive
Ann Arbor, MI 48108

File No. 863-381 Filing Date: January 03, 2000



Danny M. Bongiovanni, Manager
P.S. No. 24566

Dated: 1/11/00

PROPRIETOR'S CERTIFICATE

OM, LLC, a Michigan limited liability company, duly organized and in full compliance with the laws of the State of Michigan, is the sole member of Midwestern Consulting Co., LLC, a Michigan limited liability company, duly organized and in full compliance with the laws of the State of Michigan. OM, LLC is the sole member of Midwestern Consulting Co., LLC. The Michigan Limited Liability Company is located at 3815 Plaza Drive, Ann Arbor, Michigan 48108. File No. 814426 Filing Date: August 23, 1997 Preliminary Plat

By: Rinker Materials Corporation, its sole member, a Georgia Corporation

Witnesses:
Kellen Veng
Karen Long
Carol Shuman
J. Scott Banyon, Authorized Agent

SURVEYOR'S CERTIFICATE

I, Danny M. Bongiovanni, Registered Land Surveyor, hereby certify that I have surveyed, divided and mapped the land shown on this plat, described as follows:

Located in the SW 1/4 of Section 16, T5N, R10E, Oxford Township, Oakland County, Michigan, described as

Commencing at the SW corner of Section 16, T5N, R10E, Oxford Township, Oakland County, Michigan, thence N 84°30'32" E 43.15 feet (recorded at N 84°30'40" E) along the South line of said Section 16, thence N 00°35'07" W 40.16 feet along the East line of Dunlap Road (86 feet wide) as recorded in Liber 347, Page 130, Oakland County Records, No. 80730-C-00, 347, Page 288 of Plats, Pages 17-23, Oakland County Records, and said East line of Dunlap Road, to the POINT OF BEGINNING,

thence continuing along said East line of Dunlap Road, the following two (2) courses:

N 00°35'07" W 25.92' feet,
Northwesterly 784.39 feet along the arc of a circular curve to the left, radius 1102.90 feet, central angle 40°44'58", long chord N 19°47'22" E 787.97 feet;

thence S 68°18'11" E 291.90 feet,
thence S 69°47'28" E 171.82 feet,
thence Northwesterly 32.21 feet along the arc of a circular curve to the left, radius 370.00 feet, central angle 04°39'19", long chord N 86°14'37" E 37.20 feet;

thence N 06°15'07" W 179.99 feet;
thence N 69°58'10" E 112.50 feet;
thence N 46°42'39" E 85.46 feet;
thence N 35°11'55" E 183.02 feet;
thence N 43°17'9" E 128.12 feet;
thence N 82°28'31" E 128.10 feet;
thence N 73°52'28" E 278.80 feet;
thence N 28°09'11" E 140.94 feet;
thence S 24°48'13" E 108.09 feet;
thence Northwesterly 92.56 feet along the arc of a circular curve to the right, radius 60.00 feet, central angle 88°23'22", long chord N 03°35'28" W 83.65 feet;

thence N 40°38'16" E 218.83 feet,
thence Southwesterly 20.06 feet along the arc of a circular curve to the left, radius 227.80 feet, central angle 78°54'04", long chord S 24°48'17" E 201.53 feet;

thence S 15°10'45" W 1183.36 feet;
thence N 74°48'15" W 106.89 feet;
thence S 15°10'45" W 187.00 feet,
thence N 74°48'15" W 342.83 feet,
thence N 50°35'31" W 128.43 feet;
thence N 83°09'11" W 194.05 feet;
thence N 07°05'09" W 89.60 feet;
thence Northwesterly 107.86 feet along the arc of a circular curve to the right, radius 430.00 feet, central angle 1°20'35", long chord N 84°24'51" W 107.16 feet;
thence Southwesterly 376.06 feet along the arc of a circular curve to the left, radius 200.00 feet, central angle 107°43'58", long chord S 48°23'28" W 372.08 feet;

thence along the Northern line of said Golf Highlands No. 1 the following four (4) courses:

S 54°11'37" W 88.03 feet,
Southwesterly 80.65 feet along the arc of a circular curve to the left, radius 461.96 feet, central angle 10°59'42", long chord S 15°14'17" E 88.51 feet;

S 89°15'32" W 222.88 feet,
S 89°24'33" W 92.01 feet, thence Northwesterly 33.39 feet, including three private ponds and 24.94 acres of land.

PREPARED AND DRAFTED BY MIDWESTERN CONSULTING, LLC.
3815 PLAZA DRIVE, ANN ARBOR, MICHIGAN 48108

67395

IBER 34014 Pg 4 B 1

GOLF HIGHLANDS NO. 3

LOCATED IN THE SOUTHEAST 1/4 OF SECTION 16,
AND THE NORTHEAST 1/4 OF SECTION 21, T5N, R10E,
OXFORD TOWNSHIP, OAKLAND COUNTY, MICHIGAN.

PROPRIETOR'S CERTIFICATE

RIMMER MATERIALS CORPORATION, a Georgia corporation duly organized and existing under the laws of the State of Georgia by and through its duly authorized Agent for Public Hearing, J. Scott Banyon, do hereby certify that the plat for this plot to be surveyed, divided, mapped and dedicated as represented on this plat and that the streets are for the use of the public, that all other easements are private easements and that all other easements are for the use shown on the plat, that Cedar Street Park and East Park are private and are for the use of the lot owners.

WITNESSES:
Karen Long
Karen Long
Jane Guinness
Claude Guinness

Rimmer Materials Corporation
1501 Belvedere Road
West Palm Beach, Florida 33408
Professional Plat

J. Scott Banyon
Authorized Agent for
Rimmer Materials Corporation
1501 Belvedere Road
West Palm Beach, Florida 33408



ACKNOWLEDGEMENT

State of Florida } ss
County of Palm Beach }
Personally came before me this 21st day of May, 2003, J. Scott Banyon, Authorized Agent, of the above-named corporation, to me known to be the person who executed the foregoing instrument and to me known to be the foregoing instrument Agent, and acknowledged that he executed the said instrument as the authorized agent of the corporation as the free act and deed of said corporation by its authority.

Jane Guinness
Notary Public
West Palm Beach, Florida
My commission expires 12/31/03

PROPRIETOR'S CERTIFICATE

SELECTIVE-DELAWARE, L.L.C., a Sole Member Delaware limited liability company, duly organized and existing under the laws of the State of Delaware, by William T. Stapleton, Director, President of Centast Real Estate Corporation, a Nevada corporation, the Managing Director of Centast Homes, a Nevada General Partnership, Sole Member of Centast Homes, L.L.C., a Sole Member Delaware limited liability company, as President, L.L.C., a Sole Member Delaware limited liability company, do hereby certify that the plat for this plot to be surveyed, divided, mapped and dedicated as represented on this plat and that the streets are for the use of the public, that all other easements are private easements, and that all other easements are for the uses shown on the plat, that Cedar Street Park and East Park are private and are for the use of the lot owners.

WITNESSES:
David Barlowowski
K. Schneider

Selective-Delaware, L.L.C.
a Sole Member Delaware limited liability company
27635 Middlebelt Road, Ste. 130
Farmington Hills, MI 48334
Delaware File No. 3329283 Date: 11/29/2000
Michigan File No. 3827380 Date: 02/28/2001

By: Centast Homes, a Nevada general partnership, its Sole Member
279 Corporate Oaks #230
Hagerstown, NY 09031

By: Centast Real Estate Corporation,
its Managing Partner
1501 Belvedere Road, Ste. 130
Farmington Hills, MI 48334
Michigan File No. 3329283 Date: 11/29/2000
Delaware File No. 3329283 Date: 11/29/2000
Michigan File No. 3827380 Date: 02/28/2001

By: William T. Stapleton, Division President

COUNTY TREASURER'S CERTIFICATE

The records in my office show no unpaid taxes or other amounts due for the above parcel, and no other items listed on the tax roll included in this plat.

[Signature]
County Treasurer, Oakland County

COUNTY DRAIN COMMISSIONER'S CERTIFICATE

Approved on February 29, 2003, as complying with Section 182 of Act 206, P.A. 1987 and the applicable regulations published by my office in the County of Oakland.

[Signature]
County Drain Commissioner

COUNTY ROAD COMMISSIONER'S CERTIFICATE

Approved on March 11, 2004, as complying with Section 183 of Act 206, P.A. 1987 and the applicable published rules and regulations of the Board of Road Commissioners of Oakland County

[Signature]
County Road Commissioner

CERTIFICATE OF MUNICIPAL APPROVAL

Certify that this plat was approved by the Township Board of Review on March 11, 2004, as complying with Section 183 of Act 206, P.A. 1987 and the applicable published rules and regulations of the Board of Road Commissioners of Oakland County

[Signature]
Township Clerk

COUNTY PLAY BOARD CERTIFICATE

This plat was reviewed and approved by the Oakland County Play Board on April 12, 2004, as complying with the provisions of Act 284, P.A. 1987 and the Play Board's applicable rules and regulations.

[Signature]
County Play Board






PREPARED AND DRAFTED BY MIDWESTERN CONSULTING, L.L.C.
3815 PLAZA DRIVE, ANN ARBOR, MICHIGAN 48108

67343

EXHIBIT A

GOLF HIGHLANDS - NO. 1

LOCATED IN THE SOUTHWEST 1/4 OF SECTION 16 AND THE NORTHWEST 1/4 OF SECTION 21, T5N, R10E, OXFORD TOWNSHIP, OAKLAND COUNTY, MICHIGAN.



VICINITY MAP
SCALE: 1" = 3000'

LEGEND

1. ALL DIMENSIONS ARE IN FEET.
2. ALL CURVE DIMENSIONS ARE ARC LENGTHS.
3. ALL LOT MARKERS ARE 5/8" BROADS AND ARE 18" LONG. THE SYMBOL (O) INDICATES A CONCRETE MONUMENT. ALL MONUMENTS USED ARE MADE OF SOLID STEEL BARS 1/2" IN DIAMETER AND 36" LONG AND COMPLETELY ENCASED IN CONCRETE 4" IN DIAMETER. NO I.D. CAPS ARE USED.
4. BEARINGS ESTABLISHED FROM RECORDED PLAT LANCES LOG AT WATERSTONE LIBER 277 OF PLATS, PAGES 10-17.
5. (NR) DENOTES NON-RADIAL LOT LINE.
6. (R) DENOTES RADIAL LOT LINE.
7. (C) DENOTES CURVE LABEL.
8. (CF) DENOTES FOUND CONCRETE MONUMENT.




CURVE	RADIUS	LENGTH	BEARING	CHORD	DELTA
2	481.96	190.08	N79°22'08" W	186.74	23°41'43"
3	42.05	33.06	S25°55'31" W	32.21	45°03'57"
4	60.00	282.85	N41°51'27" W	84.71	27°01'15"
5	42.00	31.06	S70°41'31" E	37.21	18°02'57"
6	481.86	140.28	N59°45'03" W	138.74	17°29'55"
7	401.86	446.76	S37°48'58" E	424.11	83°40'53"

PREPARED AND DRAFTED BY MIDWESTERN CONSULTING, I.L.C.
3815 PLAZA DR., ANN ARBOR, MICHIGAN 48108

LIBER 34014 PG 435

GOLF HIGHLANDS - NO. 1

LOCATED IN THE SOUTHWEST 1/4 OF SECTION 16 AND THE NORTHWEST 1/4 OF SECTION 21, T5N, R10E, OXFORD TOWNSHIP, OAKLAND COUNTY, MICHIGAN.



VICINITY MAP
SCALE: 1" = 3000'


SEE DETAIL ABOVE
RECORDED AS (S04°29'40" W) N 1/4 COR. SEC. 21 T5N, R10E LIBER 15527, PAGE 255



LEGEND

1. ALL DIMENSIONS ARE IN FEET.
2. ALL CURVE DIMENSIONS ARE ARC LENGTHS.
3. ALL LOT MARKERS ARE 5/8" RUDORS AND ARE 18" LONG. THE SYMBOL (G) INDICATES A CONCRETE MONUMENT. ALL MONUMENTS USED ARE MADE OF LONG PRECAST CONCRETE. ENCLOSED CONCRETE LOG AND COMPLETE 1/2" ENCLOSED CONCRETE 4" IN DIAMETER, NO 10 COPS ARE USED.
4. REARINGS ESTABLISHED FROM RECORDED PLAT LAKES EDGE AT WATERSON LIBER 272 OF PLATS, PAGES 10-17.
5. (NR) DENOTES NON-RADIAL LOT LINE.
6. (R) DENOTES RADIAL LOT LINE.
7. (CD) DENOTES CURVE LABEL.
8. (GF) DENOTES FOUND CONCRETE MONUMENT.

CURVE	RADIUS	LENGTH	BEARING	CHORD	DELTA
1	194.17	344.25	N18°21'57" W	300.81	101°34'55"
7	401.56	446.75	S37°13'38" E	424.11	83°10'53"
8	275.53	253.71	S42°48'23" E	244.86	52°42'03"
9	260.00	186.58	S77°27'08" E	164.47	41°33'24"
14	200.00	145.06	N77°27'08" W	141.90	41°33'24"
15	275.53	175.16	S18°33'57" W	172.23	36°23'08"




PREPARED AND DRAFTED BY MIDWESTERN CONSULTING, LLC.
3615 PLAZA DRIVE, ANN ARBOR, MICHIGAN 48106

LIBER 34014 PG 136

GOLF HIGHLANDS - NO. 1

LOCATED IN THE SOUTHWEST 1/4 OF SECTION 16 AND THE NORTHWEST 1/4 OF SECTION 21, 15N, R10E, OXFORD TOWNSHIP, OAKLAND COUNTY, MICHIGAN.

CURVE	RADIUS	CHORD	BEARING	CHORD	DELTA
10	700.00	297.08	S89°19'45.17"	294.25	2°57'45.27"
11	80.00	260.84	S41°04'11.74"	68.51	1°02'05.55"
12	42.00	43.68	N43°00'31.71"	43.46	0°33'03.97"
13	780.00	232.01	N65°52'02.74"	231.11	3°29'57.77"




VICINITY MAP

SCALE: 1" = 3000'


LEGEND

- ALL DIMENSIONS ARE IN FEET.
- ALL CURVE DIMENSIONS ARE ARC LENGTHS.
- ALL LOT MARKERS ARE 5/8" REBRODS AND ARE 18" LONG. THE SYMBOL (G) INDICATES A CONCRETE MONUMENT. THE SYMBOL (S) INDICATES A SOLID STEEL BARS 1/2" IN DIAMETER AND 36" LONG AND COMPLETELY ENCASED IN CONCRETE. A 4" IN DIAMETER, NO I.D. CAPS ARE USED.
- BEARINGS ESTABLISHED FROM RECORDED PLAT LAKES LOOK AT WATERSTONE LIBER 272 OF PLATS, PAGES 10-17.
- (NR) DENOTES NON-RADIAL LOT LINE.
- (R) DENOTES RADIAL LOT LINE.
- (C) DENOTES CURVE LABEL.
- (O) DENOTES FOUND CONCRETE MONUMENT.

RECALL OF VERTICAL CURVE DATA: CHORD, BEARING, DISTANCE, CHORD BEARING, DISTANCE.



67002




PREPARED AND DRAFTED BY MIDWESTERN CONSULTING, LLC.
3815 PLAZA DRIVE, ANN ARBOR, MICHIGAN 48108


LIBER 34014 PG 4 B7

GOLF HIGHLANDS NO. 2

LOCATED IN THE SOUTHWEST 1/4 OF SECTION 16, T5N, R10E, OXFORD TOWNSHIP, OAKLAND COUNTY, MICHIGAN.



VICINITY MAP
SCALE: 1" = 5000'




LEGEND

1. ALL DIMENSIONS ARE IN FEET.
2. ALL CURVE DIMENSIONS ARE ARC LENGTHS.
3. ALL LOT MARKERS ARE 5/8" REBRODS AND ARE 18" LONG. THE SYMBOL (G) INDICATES A CONCRETE MONUMENT. ALL MONUMENTS USED ARE MADE OF SOLID STEEL BARS 1/2" IN DIAMETER AND 36" LONG AND COMPLETELY ENCASED IN CONCRETE 18" IN DIAMETER. NO T.D. CAPS ARE USED.
4. BEARINGS ESTABLISHED FROM RECORDED PLAT 3847 A WATERSHED LUBER 272 OF PLATS, PAGES 10-17.
5. (NR) DENOTES NON-RADIAL LOT LINE.
6. (R) DENOTES RADIAL LOT LINE.
7. (CD) DENOTES CURVE LABEL.
8. (C) DENOTES FOUND CONCRETE MONUMENT.

DETAIL A

SCALE: 1" = 50'




CURVE	RADIUS	LENGTH	BEARING	CHORD	DELTA
1	461.95	34.39	N07°W 28' W	34.38	0°25'54"
2	260.00	400.06	N48°23'28" E	418.97	107°13'54"
3	370.00	87.30	S84°30'09" E	87.10	13°11'06"
4	1010.90	749.84	S20°39'53" W	732.71	42°30'01"
5	1065.90	777.98	N12°56'22" E	761.45	41°02'37"

PREPARED AND DRAFTED BY MIDWESTERN CONSULTING, LLC.
3815 PLAZA DRIVE, ANN ARBOR, MICHIGAN 48108


LIBER 34014 PG 492

GOLF HIGHLANDS NO. 2

LOCATED IN THE SOUTHWEST 1/4
OF SECTION 16, T5N, R10E, OXFORD
TOWNSHIP, OAKLAND COUNTY, MICHIGAN.



VICINITY MAP
SCALE 1" = 3000'



CURVE	RADIUS	LENGTH	BEARING	CHORD	DELTA
6	430.00	251.74	S71°00'34\"	248.18	33°32'34\"
7	260.00	159.69	M57°13'50\"	157.85	35°11'37\"
8	200.00	122.84	M57°13'50\"	120.80	35°11'37\"
9	430.00	83.84	M40°47'04\"	83.87	110°10'17\"
10	370.00	313.53	M59°23'26\"	302.23	49°33'02\"

LEGEND

1. ALL DIMENSIONS ARE IN FEET
2. ALL CURVE DIMENSIONS ARE ARC LENGTHS.
3. ALL LOT MARKERS ARE 5/8\"
4. BEARINGS ESTABLISHED FROM RECORDED PLAT LINES EDGE AT WATERSTONE LIBER 272 OF PLATS, PAGES 10-17.
5. (M) DENOTES NON-RADIAL LOT LINE.
6. (R) DENOTES RADIAL LOT LINE.
7. (C) DENOTES CURVE LABEL.
8. (C) DENOTES FOUND CONCRETE MONUMENT.

67295

PREPARED AND DRAFTED BY MIDWESTERN CONSULTING, LLC.
1815 PLAZA DRIVE, ANN ARBOR, MICHIGAN 48108

LIBER 34014 PG 4 93

2. The definition of "Property" contained in the Agreement is hereby amended to include all property subject to the Declaration, as the same may be amended from time to time.

3. The definition of "Open Spaces" contained in the Agreement is hereby amended to include all commons/open space areas which are required by the Ordinance and subject to the terms of the Declaration, as the same may be amended from time to time.

4. Except as amended hereby, the Agreement remains in full force and effect.

[THE REMAINDER OF THIS PAGE IS INTENTIONALLY LEFT BLANK]

"DEVELOPER"

SELECTIVE - DELAWARE, L.L.C.
a Delaware limited liability company

By: **CENTEX HOMES**, a Nevada general partnership, its sole Member

By: **CENTEX REAL ESTATE CORPORATION**, a Nevada corporation, its Managing Partner

By: W.T.S.
William T. Stapleton,
Division President

STATE OF MICHIGAN)
COUNTY OF Oakland) SS

The foregoing instrument was acknowledged before me this 4th day of June, 2004 by William T. Stapleton, Division President of Centex Real Estate Corporation, a Nevada corporation, the Managing Partner of Centex Homes, a Nevada general partnership, the sole Member of Selective - Delaware, L.L.C., a Delaware limited liability company, on behalf of the company.

[Signature]
Notary Public
Macomb County, Michigan
My commission expires: 7-14-2008
Acting in County of Oakland

Christina Jessop
Notary Public, Macomb County, MI
My Commission Expires 07-14-2008

